



Classification: **B**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and NfL 2-565-20:

PG\_1835.2021

Date of issue (DMY):

01.09.2021

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Kode P 16

Serial number:

TOYOK416V1

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>70</b>
Minimum weight in flight (kg)	<b>45</b>
Glider's weight (kg)	<b>1.8</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>14.35</b>

### Accessories

Range of speed system (cm)	<b>10</b>
Speed range using brakes (km/h)	<b>14</b>
Total speed range with accessories (km/h)	<b>24</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Advance</b>
Harness model	<b>Success 4 M</b>
Harness to risers distance (cm)	<b>44</b>
Distance between risers (cm)	<b>40</b>

### Inspections (whichever happens first)

Every 2 years or every 100 flight hours.
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: <b>None</b>

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A A A A A A A A A A A A B A A A A A A A A A 0**



Classification: **C**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and NfL 2-565-20:

PG\_1835.2021

Date of issue (DMY):

01.09.2021

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Kode P 16

Serial number:

TOYOK416V1

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>90</b>
Minimum weight in flight (kg)	<b>45</b>
Glider's weight (kg)	<b>1.8</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>14.35</b>

### Accessories

Range of speed system (cm)	<b>10</b>
Speed range using brakes (km/h)	<b>14</b>
Total speed range with accessories (km/h)	<b>24</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Advance</b>
Harness model	<b>Success 4 M</b>
Harness to risers distance (cm)	<b>44</b>
Distance between risers (cm)	<b>44</b>

### Inspections (whichever happens first)

Every 2 years or every 100 flight hours.
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: <b>None</b>

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A A B A A A A A A A A C C A A A A A A A 0**



Classification: **A**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and NfL 2-565-20:

PG\_1857.2021

Date of issue (DMY):

01.09.2021

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Kode P 18

Serial number:

KODE181

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>70</b>
Minimum weight in flight (kg)	<b>50</b>
Glider's weight (kg)	<b>2</b>
Number of risers	<b>3</b>
Projected area (m <sup>2</sup> )	<b>16.05</b>

### Accessories

Range of speed system (cm)	<b>10</b>
Speed range using brakes (km/h)	<b>14</b>
Total speed range with accessories (km/h)	<b>24</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Flugsau</b>
Harness model	<b>X-Light M</b>

### Inspections (whichever happens first)

Every 2 years or every 100 flight hours.
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: <b>None</b>

Harness to risers distance (cm) **40**

Distance between risers (cm) **40**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A 0**



Classification: **B**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and NfL 2-565-20:

PG\_1857.2021

Date of issue (DMY):

01.09.2021

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Kode P 18

Serial number:

KODE181

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>80</b>
Minimum weight in flight (kg)	<b>50</b>
Glider's weight (kg)	<b>2</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>16.05</b>

### Accessories

Range of speed system (cm)	<b>10</b>
Speed range using brakes (km/h)	<b>14</b>
Total speed range with accessories (km/h)	<b>24</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Advance</b>
Harness model	<b>Success 4 M</b>
Harness to risers distance (cm)	<b>44</b>
Distance between risers (cm)	<b>44</b>

### Inspections (whichever happens first)

Every 2 years or every 100 flight hours.
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: <b>None</b>

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A A B A A A A A A A A B A A A A A A A A A 0**



Classification: **C**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and NfL 2-565-20:

PG\_1857.2021

Date of issue (DMY):

01.09.2021

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Kode P 18

Serial number:

KODE181

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>100</b>
Minimum weight in flight (kg)	<b>50</b>
Glider's weight (kg)	<b>2</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>16.05</b>

### Accessories

Range of speed system (cm)	<b>10</b>
Speed range using brakes (km/h)	<b>14</b>
Total speed range with accessories (km/h)	<b>24</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Flugsau</b>
Harness model	<b>X-Light M</b>

### Inspections (whichever happens first)

Every 2 years or every 100 flight hours.  
Warning! Before use refer to user's manual  
Person or company having presented the glider for testing: **None**

Harness to risers distance (cm) **40**

Distance between risers (cm) **46**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A A B C A A A A A A A C C A A A A A A A A 0**



Classification: **A**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and NfL 2-565-20:

PG\_1832.2021

Date of issue (DMY):

01.09.2021

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Kode P 20

Serial number:

KODE2011

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>85</b>
Minimum weight in flight (kg)	<b>60</b>
Glider's weight (kg)	<b>2.2</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>17.61</b>

### Accessories

Range of speed system (cm)	<b>13</b>
Speed range using brakes (km/h)	<b>14</b>
Total speed range with accessories (km/h)	<b>24</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Advance</b>
Harness model	<b>Success 4 M</b>
Harness to risers distance (cm)	<b>44</b>
Distance between risers (cm)	<b>44</b>

### Inspections (whichever happens first)

Every 2 years or every 100 flight hours.
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: <b>None</b>

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A 0**



Classification: **A**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and NfL 2-565-20:

PG\_1772.2021

Date of issue (DMY):

01.09.2021

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Kode P 22

Serial number:

TOYOK422V1

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>90</b>
Minimum weight in flight (kg)	<b>65</b>
Glider's weight (kg)	<b>2.3</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>19.37</b>

### Accessories

Range of speed system (cm)	<b>13</b>
Speed range using brakes (km/h)	<b>14</b>
Total speed range with accessories (km/h)	<b>24</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Supair</b>
Harness model	<b>Altiplume M</b>
Harness to risers distance (cm)	<b>44</b>
Distance between risers (cm)	<b>44</b>

### Inspections (whichever happens first)

every 100 hours of use or every 24 months  
Warning! Before use refer to user's manual  
Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A 0**



Classification: **A**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and NfL 2-565-20:

PG\_1822.2021

Date of issue (DMY):

01.09.2021

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Kode P 24

Serial number:

TOYOK424V1

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>95</b>
Minimum weight in flight (kg)	<b>70</b>
Glider's weight (kg)	<b>2.6</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>21.13</b>

### Accessories

Range of speed system (cm)	<b>13</b>
Speed range using brakes (km/h)	<b>14</b>
Total speed range with accessories (km/h)	<b>24</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Supair</b>
Harness model	<b>Evo XC 3 M</b>

### Inspections (whichever happens first)

Every 2 years or every 100 flight hours.  
Warning! Before use refer to user's manual  
Person or company having presented the glider for testing: **None**

Harness to risers distance (cm) **44**

Distance between risers (cm) **44**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A 0**





Classification: **A**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and NfL 2-565-20:

PG\_1823.2021

Date of issue (DMY):

01.09.2021

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Kode P 26

Serial number:

KODE126

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>115</b>
Minimum weight in flight (kg)	<b>90</b>
Glider's weight (kg)	<b>2.8</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>23.33</b>

### Accessories

Range of speed system (cm)	<b>13</b>
Speed range using brakes (km/h)	<b>14</b>
Total speed range with accessories (km/h)	<b>24</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Advance</b>
Harness model	<b>Success 4 M</b>
Harness to risers distance (cm)	<b>44</b>
Distance between risers (cm)	<b>48</b>

### Inspections (whichever happens first)

Every 2 years or every 100 flight hours.
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: <b>None</b>

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A 0**