



Classification: **A**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09:

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG\_1591.2019

12.12.2019

Niviuk Gliders / Air Games S.L.

Koyot P 4 22

OIKT4222V1

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>70</b>
Minimum weight in flight (kg)	<b>45</b>
Glider's weight (kg)	<b>3.2</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>18.75</b>

### Accessories

Range of speed system (cm)	<b>14</b>
Speed range using brakes (km/h)	<b>15</b>
Total speed range with accessories (km/h)	<b>21</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Supair</b>
Harness model	<b>Altiplume S</b>
Harness to risers distance (cm)	<b>44</b>
Distance between risers (cm)	<b>40</b>

### Inspections (whichever happens first)

every 24 months or every 100 flying hours  
Warning! Before use refer to user's manual  
Person or company having presented the glider for testing: **Nef Olivier**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A 0**



Classification: **A**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09:

**PG\_1592.2019**

Date of issue (DMY):

01.10.2019

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Koyot 4 P 24

Serial number:

OIKT4242V1

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>80</b>
Minimum weight in flight (kg)	<b>60</b>
Glider's weight (kg)	<b>3.5</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>20.45</b>

### Accessories

Range of speed system (cm)	<b>13</b>
Speed range using brakes (km/h)	<b>15</b>
Total speed range with accessories (km/h)	<b>21</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Advance</b>
Harness model	<b>Success 4 M</b>
Harness to risers distance (cm)	<b>44</b>
Distance between risers (cm)	<b>40</b>

### Inspections (whichever happens first)

every 24 months or every 100 flying hours  
Warning! Before use refer to user's manual  
Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A 0**



Classification: **A**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09:

**PG\_1593.2019**

Date of issue (DMY):

01.10.2019

Manufacturer:

Niviuk Gliders / Air Games S.L.

Model:

Koyot 4 P 26

Serial number:

OIKT4P262V1

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>95</b>
Minimum weight in flight (kg)	<b>75</b>
Glider's weight (kg)	<b>3.9</b>
Number of risers	<b>3</b>
Projected area (m2)	<b>22.16</b>

### Accessories

Range of speed system (cm)	<b>15</b>
Speed range using brakes (km/h)	<b>15</b>
Total speed range with accessories (km/h)	<b>21</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Supair</b>
Harness model	<b>Evo XC 3 L</b>
Harness to risers distance (cm)	<b>44</b>
Distance between risers (cm)	<b>44</b>

### Inspections (whichever happens first)

every 24 months or every 100 flying hours  
Warning! Before use refer to user's manual  
Person or company having presented the glider for testing: **None**

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A 0**



Classification: **A**



In accordance with standards EN 926-1:2015, EN 926-2:2013 and LTF NFL II-91/09:

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG\_1594.2019

01.10.2019

Niviuk Gliders / Air Games S.L.

Koyot 4 P 28

OIKT4282V1

## Configuration during flight tests

### Paraglider

Maximum weight in flight (kg)	<b>115</b>
Minimum weight in flight (kg)	<b>90</b>
Glider's weight (kg)	<b>4.1</b>
Number of risers	<b>3</b>
Projected area (m <sup>2</sup> )	<b>23.86</b>

### Accessories

Range of speed system (cm)	<b>13</b>
Speed range using brakes (km/h)	<b>15</b>
Total speed range with accessories (km/h)	<b>21</b>
Range of trimmers (cm)	<b>0</b>

### Harness used for testing (max weight)

Harness type	<b>ABS</b>
Harness brand	<b>Supair</b>
Harness model	<b>Evo XC 3 L</b>
Harness to risers distance (cm)	<b>44</b>
Distance between risers (cm)	<b>48</b>

### Inspections (whichever happens first)

every 24 months or every 100 flying hours
Warning! Before use refer to user's manual
Person or company having presented the glider for testing: <b>None</b>

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23  
**A 0**